



Idma Laboratories Limited

(A Government Approved Test House)

NABL (TC-8207) MOEF/BIS/FSSAI/State Pollution Boards/Drug & Cosmetic Act/ISO 9001; 14001; 18001 Certified



Certificate No. :
TC-8207

TEST REPORT

Ref. No. ILD- 7582	Date 08.07.21	Lab No. 290621L-ED-006	Page No. 1/1
Customer	City Emporium (Meters & Instruments Pvt. Limited) Plot No.143-A Industrial Area- Phase-I Chandigarh Chandigarh		
Type of Sample	Wastewater (STP Outlet)		
Customer's Description of Sample	Wastewater (STP Outlet)		
Quantity	5 Ltr		
Packing, Markings	Plastic Can		
Mode of Collection of Sample	Sampling By Laboratories		
Work Order No.	E-MAIL	Dated	19/06/2021
Date of Receipt of Sample	29/06/2021		
Period of Analysis	29/06/2021 To 03/07/2021		
Sampling Team Idma	Idma Representative Team	Client	Mr. Sachin Arya
Sampling Location	STP Plant		
Visual Observation	N/A		
Date of Sampling	28/06/2021		
Date of Reporting	03/07/2021		
Sampling Protocol	IS: 3025-1987		
Testing Protocol	CPCB		


RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (Waste Water)	-	-	-	-
1	pH	-	7.26	5.5-9.0	IS 3025 (P-11) 1983 (RA 2017)
2	Chemical Oxygen Demand (COD)	mg/L	51.2	Max. 250	IS 3025 : Part 58-2006 (RA 2017)
3	Biochemical Oxygen Demand	mg/L	15	Max. 30	IS: 3025 (P-44)-1993 (RA 2014) BOD 3-days at 27 °C
4	Oil & Grease	mg/L	2.5	Max. 10	IS 3025 (P-39) 1991 (RA 2014) Partition Gravimetric Method
5	Total Dissolved Solids (TDS)	mg/L	674	-	IS 3025 (P-16) 1984 (RA 2017)
6	Total Suspended Solids (TSS)	mg/L	29	Max. 100	IS 3025 (P-17) 1984 (RA 2017)

End of Report

Ru 3/7/21

Analyst



Idma Corporate Park, 391, Industrial Area, Phase-I, Panchkula, Haryana.

Tel. No. : 0172- 5064827, 5064830

Website : www.idmagroup.co.in

E-mail : testing@idmagroup.co.in

E-mail : support@idmagroup.co.in

Turn Overleaf





Idma Laboratories Limited

(A Government Approved Test House)

NABL (TC-8207) MOEF/BIS/FSSAI/State Pollution Boards/Drug & Cosmetic Act/ISO 9001; 14001; 18001 Certified



Certificate No. :
TC-8207

TEST REPORT

Ref. No. IL/D- 7583	Date	08.07.21	Lab No.	290621L-ED-007	Page No. 1/1
Customer	City Emporium (Meters & Instruments Pvt. Limited) Plot No.143-A Industrial Area- Phase-I Chandigarh Chandigarh				
Type of Sample	Wastewater (STP Inlet)				
Customer's Description of Sample	Wastewater (STP Inlet)				
Quantity	5 Ltr				
Packing, Markings, Seal & Quantity	Plastic Can				
Mode of Collection of Sample	Sampling By Laboratories				
Work Order No.	E-MAIL			Dated	19/06/2021
Date of Receipt of Sample	29/06/2021				
Period of Analysis	29/06/2021 To 03/07/2021				
Sampling Team Idma	Idma Representative Team			Client	Mr. Sachin Arya
Sampling Location	STP Plant				
Visual Observation	N/A				
Date of Sampling	28/06/2021				
Date of Reporting	03/07/2021				
Sampling Protocol	IS: 3025-1987				
Testing Protocol	CPCB				

RESULTS

S.No.	Test Parameter	Units	Results	Test Method
	CHEMICAL TESTING (Waste Water)	-	-	-
1	pH	-	6.76	IS 3025 (P-11) 1983 (RA 2017)
2	Chemical Oxygen Demand (COD)	mg/L	212	IS 3025 : Part 58-2006 (RA 2017)
3	Biochemical Oxygen Demand	mg/L	74	IS: 3025 (P-44)-1993 (RA 2014) BOD 3-days at 27 °C
4	Oil & Grease	mg/L	4.9	IS 3025 (P-39) 1991 (RA 2014) Partition Gravimetric Method
5	Total Dissolved Solids (TDS)	mg/L	767	IS 3025 (P-16) 1984 (RA 2017)
6	Total Suspended Solids (TSS)	mg/L	93	IS 3025 (P-17) 1984 (RA 2017)

Opinion :

End of Report

RM
27/7/21
Analyst

For Idma Laboratories Limited
Authorized Signatory
TM/III/II

Idma Corporate Park, 391, Industrial Area, Phase-I, Panchkula, Haryana.

Tel. No. : 0172- 5064827, 5064830

Website : www.idmagroup.co.in

E-mail : testing@idmagroup.co.in

E-mail : support@idmagroup.co.in

Turn Overleaf





Idma Laboratories Limited

(A Government Approved Test House)

NABL (TC-8207) MOEF/BIS/FSSAI/State Pollution Boards/Drug & Cosmetic Act/ISO 9001; 14001; 18001 Certified



Certificate No. :
TC-8207

TEST REPORT

Ref. No. IL/D- 7584	Date 08-07-21	Lab No. 290621L-ED-008	Page No. 1/1
Customer	City Emporium (Meters & Instruments Pvt. Limited) Plot No.143-A Industrial Area- Phase-I Chandigarh Chandigarh		
Type of Sample	Ambient Air		
Customer's Description of Sample	Ambient Air		
Quantity	1 No.		
Packing, Markings	Filter Paper Packed in Polythene Pouch		
Mode of Collection of Sample	Sampling By Laboratories		
Work Order No.	E-MAIL	Dated	19/06/2021
Date of Receipt of Sample	29/06/2021		
Period of Analysis	29/06/2021 To 03/07/2021		
Sampling Team Idma	Idma Representative Team	Client	Mr. Sachin Arya
Sampling Location	Building Out Side Ground Floor		
Visual Observation	N/A		
Date of Sampling	26/06/2021		
Date of Reporting	03/07/2021		
Sampling Protocol	IS: 5182		
Testing Protocol	NAAQS		


RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (Ambient air)	-	-	-	-
1	PM 10	µg/m³	71.2	Max. 100	IS:5182(P-23)-2006(RA 2017)
2	PM2.5	µg/m³	34.6	Max. 60	IDL/SP/03, Issue No-1. Issue Date.16.04.16
3	SO2	µg/m³	15.2	Max. 80	IS:5182(P-02)-2001 (RA 2017)
4	NO2	µg/m³	19.8	Max. 80	IS:5182(P-6)-2006(RA 2017)
5	CO	mg/m³	0.4	Max. 02	IS:5182(P-10)-1999 (RA 2014)

End of Report

For Idma Laboratories Limited

Authorized Signatory
T.M./M.M.



Idma Corporate Park, 391, Industrial Area, Phase-I, Panchkula, Haryana.

Tel. No. : 0172-5064827, 5064830

Website : www.idmagroup.co.in

E-mail : testing@idmagroup.co.in

E-mail : support@idmagroup.co.in

Turn Overleaf





Idma Laboratories Limited

(A Government Approved Test House)

NABL (TC-8207) MOEF/BIS/FSSAI/State Pollution Boards/Drug & Cosmetic Act/ISO 9001; 14001; 18001 Certified



Certificate No. :
TC-8207

TEST REPORT

Ref. No. IL/D- 7585	Date 08.07.21	Lab No. 290621L-ED-009	Page No. 1/1
Customer	City Emporium (Meters & Instruments Pvt. Limited) Plot No.143-A Industrial Area- Phase-I Chandigarh Chandigarh		
Type of Sample	Ambient Air		
Customer's Description of Sample	Ambient Air		
Quantity	1 No.		
Packing, Markings	Filter Paper Packed in Polythene Pouch		
Mode of Collection of Sample	Sampling By Laboratories		
Work Order No.	E-MAIL	Dated	19/06/2021
Date of Receipt of Sample	29/06/2021		
Period of Analysis	29/06/2021 To 03/07/2021		
Sampling Team Idma	Idma Representative Team	Client	Mr. Sachin Arya
Sampling Location	Atrium Ground Floor		
Visual Observation	N/A		
Date of Sampling	26/06/2021		
Date of Reporting	03/07/2021		
Sampling Protocol	IS: 5182		
Testing Protocol	NAAQS		

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (Ambient air)	-	-	-	-
1	PM 10	µg/m³	69.6	Max. 100	IS:5182(P-23)-2006(RA 2017)
2	PM2.5	µg/m³	37.4	Max. 60	IDL/SP/03, Issue No-1, Issue Date.16.04.16
3	SO2	µg/m³	15.1	Max. 80	IS:5182(P-02)-2001 (RA 2017)
4	NO2	µg/m³	19.2	Max. 80	IS:5182(P-6)-2006(RA 2017)
5	CO	mg/m³	0.42	Max. 02	IS:5182(P-10)-1999 (RA 2014)

End of Report

RA
3/7/21
Analyst

For Idma Laboratories Limited



Idma Corporate Park, 391, Industrial Area, Phase-I, Panchkula, Haryana.

Tel. No. : 0172- 5064827, 5064830

Website : www.idmagroup.co.in

E-mail : testing@idmagroup.co.in

E-mail : support@idmagroup.co.in

Turn Overleaf



Idma Laboratories Limited

(A Government Approved Test House)



NABL (TC-8207) MOEF/BIS/FSSAI/State Pollution Boards/Drug & Cosmetic Act/ISO 9001; 14001; 18001 Certified

TEST REPORT


Ref. No. IL/D- 7586	Date 28.07.21	Lab No. 290621L-ED-010	Page No. 1/1
Customer	City Emporium (Meters & Instruments Pvt. Limited) Plot No.143-A Industrial Area- Phase-I Chandigarh Chandigarh		
Type of Sample	Stack Emission (DG)		
Customer's Description of Sample	Stack Emission (DG)		
Quantity	1 No.		
Packing, Markings	Thimble Packed in Polythene Pouch		
Mode of Collection of Sample	Sampling By Laboratories		
Work Order No.	E-MAIL	Dated	19/06/2021
Date of Receipt of Sample	29/06/2021		
Period of Analysis	29/06/2021 To 03/07/2021		
Sampling Team Idma	Idma Representative Team	Client	Mr. Sachin Arya
Sampling Location	DG-1, Eng No. 25332045, 500 KVA		
Visual Observation	N/A		
Date of Sampling	26/06/2021		
Date of Reporting	03/07/2021		
Sampling Protocol	IS: 11255		
Testing Protocol	CPCB		

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (Stack emission)	-	-	-	-
	GENERAL INFORMATION:	-	-	-	-
1	Stack Height	Meters	30.48	-	-
2	Stack dia	Meters	0.4572	-	-
3	Ambient Temperature	°C	39	-	-
4	Stack Temperature	°C	116	-	-
5	Velocity	m/s	10.2	-	-
6	Type of Fuel	-	HSD	-	-
7	Sampling Flow rate	LPM	19.5	-	-
8	Sampling Time	Minutes	30	-	-
9	Volumetric Flow rate	Nm³/hr	4930	-	-
	PARAMETERS:	-	-	-	-
10	PM	g/kW-hr	0.12	Max. 0.2	IS:11255(P-1)-1985 (RA 2014)
11	CO	g/kW-hr	1.9	Max. 3.5	IS:13270-1992 (RA 2014)
12	NOx + HC	g/kW-hr	2.8	Max. 4.0	IS: 11255(P-7)-2005(RA 2017)
13	SO2	g/kW-hr	1.3	-	IS: 11255(P-2)-1985 (RA 2014)

End of Report

For Idma Laboratories Limited
Authorized Signatory



Idma Corporate Park, 391, Industrial Area, Phase-I, Panchkula, Haryana.

Tel. No. : 0172- 5064827, 5064830

Website : www.idmagroup.co.in

E-mail : testing@idmagroup.co.in

E-mail : support@idmagroup.co.in

Turn Overleaf



Idma Laboratories Limited

(A Government Approved Test House)



NABL (TC-8207) MOEF/BIS/FSSAI/State Pollution Boards/Drug & Cosmetic Act/ISO 9001; 14001; 18001 Certified

TEST REPORT

Ref. No. IL/D- 7587	Date 07.07.21	Lab No. 290621L-ED-011	Page No. 1/1
Customer	City Emporium (Meters & Instruments Pvt. Limited) Plot No.143-A Industrial Area- Phase-I Chandigarh Chandigarh		
Type of Sample	Stack Emission (DG)		
Customer's Description of Sample	Stack Emission (DG)		
Quantity	1 No.		
Packing, Markings	Thimble Packed in Polythene Pouch		
Mode of Collection of Sample	Sampling By Laboratories		
Work Order No.	E-MAIL	Dated	19/06/2021
Date of Receipt of Sample	29/06/2021		
Period of Analysis	29/06/2021 To 03/07/2021		
Sampling Team Idma	Idma Representative Team	Client	Mr. Sachin Arya
Sampling Location	DG-2, Eng No. 25336420, 1010 KVA		
Visual Observation	N/A		
Date of Sampling	26/06/2021		
Date of Reporting	03/07/2021		
Sampling Protocol	IS: 11255		
Testing Protocol	CPCB		

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (Stack emission)	-	-	-	-
	GENERAL INFORMATIONS:	-	-	-	-
1	Stack Height	Meters	30.48	-	-
2	Stack dia	Meters	0.4572	-	-
3	Ambient Temperature	°C	39	-	-
4	Stack Temperature	°C	132	-	-
5	Velocity	m/s	12.7	-	-
6	Type of Fuel	-	HSD	-	-
7	Sampling Flow rate	LPM	24.9	-	-
8	Sampling Time	Minutes	30	-	-
9	Volumetric Flow rate	Nm³/hr	5896	-	-
	PARAMETERS:	-	-	-	-
10	PM	mg /Nm³	64.6	Max. 75	IS:11255(P-1)-1985 (RA 2014)
11	CO	mg /Nm³	72.0	Max. 150	IS:13270-1992 (RA 2014)
12	NOx	ppmv	139.3	Max. 710	IS: 11255(P-7)-2005(RA 2017)
13	SO2	mg /Nm³	56.5	-	IS: 11255(P-2)-1985 (RA 2014)

End of Report

For Idma Laboratories Limited

Authorized Signatory

TM/III

Analyst



Idma Corporate Park, 391, Industrial Area, Phase-I, Panchkula, Haryana.

Tel. No. : 0172- 5064827, 5064830

Website : www.idmagroup.co.in

E-mail : testing@idmagroup.co.in

E-mail : support@idmagroup.co.in

Turn Overleaf



Idma Laboratories Limited

(A Government Approved Test House)



Certificate No. :
TC-8207

NABL (TC-8207) MOEF/BIS/FSSAI/State Pollution Boards/Drug & Cosmetic Act/ISO 9001; 14001; 18001 Certified

TEST REPORT

Ref. No. IL/D- 7588	Date	08.07.21	Lab No.	200621L-ED-012	Page No. 1/1
Customer	City Emporium (Meters & Instruments Pvt. Limited) Plot No.143-A Industrial Area- Phase-I Chandigarh Chandigarh				
Type of Sample	Noise Level (DG)				
Customer's Description of Sample	Noise Level (DG)				
Quantity	1 No.				
Packing, Markings	Instrumental At Site				
Mode of Collection of Sample	Sampling By Laboratories				
Work Order No.	E-MAIL			Dated	19/06/2021
Date of Receipt of Sample	29/06/2021				
Period of Analysis	29/06/2021 To 01/07/2021				
Sampling Team Idma	Idma Representative Team			Client	Mr. Sachin Arya
Sampling Location	DG-1,-500 KVA				
Visual Observation	N/A				
Date of Sampling	28/06/2021				
Date of Reporting	01/07/2021				
Sampling Protocol	IS: 9989				
Testing Protocol	CPCB				

RESULTS

S.No.	Test Parameter	Units	Result	Specifications	Test Method
	CHEMICAL DISCIPLINE (Source Noise Levels)	-	-	-	-
1	1.0 m from the enclosure surface	dB(A)	72.8	Max. 75.0	IS:7194-1994 R-2005(RA 2014)
2	0.5 m surface acoustic enclosure when door are open	dB (A)	100.9	--	IS:7194-1994 R-2005(RA 2014)
3	0.5 m surface acoustic enclosure when door are Close	dB (A)	75.6	--	IS:7194-1994 R-2005(RA 2014)
4	Insertion Loss	dB (A)	25.3	MIn. 25	IS:7194-1994 R-2005(RA 2014)

End of Report

Analyst

For Idma Laboratories Limited



Idma Corporate Park, 391, Industrial Area, Phase-I, Panchkula, Haryana.

Tel. No. : 0172-5064827, 5064830

Website : www.idmagroup.co.in

E-mail : testing@idmagroup.co.in

E-mail : support@idmagroup.co.in

Turn Overleaf





Idma Laboratories Limited

(A Government Approved Test House)

NABL (TC-8207) MOEF/BIS/FSSAI/State Pollution Boards/Drug & Cosmetic Act/ISO 9001; 14001; 18001 Certified



Certificate No. :
TC-8207

TEST REPORT

Ref. No. IL/D- 7589	Date 03.07.21	Lab No. 290621L-ED-013	Page No. 1/1
Customer	City Emporium (Meters & Instruments Pvt. Limited) Plot No.143-A Industrial Area- Phase-I Chandigarh Chandigarh		
Type of Sample	Noise Level (DG)		
Customer's Description of Sample	Noise Level (DG)		
Quantity	1 No.		
Packing, Markings	Instrumental At Site		
Mode of Collection of Sample	Sampling By Laboratories		
Work Order No.	E-MAIL	Dated	19/06/2021
Date of Receipt of Sample	29/06/2021		
Period of Analysis	29/06/2021 To 01/07/2021		
Sampling Team Idma	Idma Representative Team	Client	Mr. Sachin Arya
Sampling Location	DG-2,-1010 KVA		
Visual Observation	N/A		
Date of Sampling	26/06/2021		
Date of Reporting	01/07/2021		
Sampling Protocol	IS: 9989		
Testing Protocol	CPCB		

RESULTS

S.No.	Test Parameter	Units	Result	Specifications	Test Method
	CHEMICAL DISCIPLINE (Source Noise Levels)	-	-	-	-
1	1.0 m from the enclosure surface	dB(A)	74.0	Max. 75.0	IS:7194-1994 R-2005(RA 2014)
2	0.5 m surface acoustic enclosure when door are open	dB (A)	102.3	--	IS:7194-1994 R-2005(RA 2014)
3	0.5 m surface acoustic enclosure when door are Close	dB (A)	76.8	--	IS:7194-1994 R-2005(RA 2014)
4	Insertion Loss	dB (A)	25.5	Min. 25	IS:7194-1994 R-2005(RA 2014)

End of Report

For Idma Laboratories Limited



Analyst

Idma Corporate Park, 391, Industrial Area, Phase-I, Panchkula, Haryana.

Tel. No. : 0172- 5064827, 5064830

Website : www.idmagroup.co.in

E-mail : testing@idmagroup.co.in

E-mail : support@idmagroup.co.in

Turn Overleaf



Idma Laboratories Limited

(A Government Approved Test House)

NABL (TC-8207) MOEF/BIS/FSSAI/State Pollution Boards/Drug & Cosmetic Act/ISO 9001; 14001; 18001 Certified



Certificate No.:
TC-8207

ULR : TC820721700000681F

TEST REPORT

Ref. No. IL/D- 7581	Date	08.07.21	Lab No.	290621L-FD-006/A	Page No. 1/2
Customer	City Emporium (Meters & Instruments Pvt. Limited) Plot No.143-A Industrial Area- Phase-I Chandigarh Chandigarh				
Type of Sample	Borewell Water				
Customer's Description of Sample	Borewell Water				
Quantity	5 Ltr. + 250 ml				
Packing, Markings, Seal & Quantity	Plastic Can & Glass Bottle				
Mode of Collection of Sample	Sampling By Laboratories				
Work Order No.	E-MAIL			Dated	19/06/2021
Date of Receipt of Sample	29/06/2021				
Period of Analysis	29/06/2021 To 07/07/2021				
Sampling Team Idma	Idma Representative Team			Client	Mr. Sachin Arya
Sampling Location	Building Inside Near Outwall				
Visual Observation	N/A				
Date of Sampling	28/06/2021				
Date of Reporting	07/07/2021				
Sampling Protocol	IS: 3025-1987 & IL/MB/SOP/034				
Testing Protocol	IS:10500 :2012. Amdt. 1 to 2				

RESULTS

S.No.	Test Parameter	Units	Results	Requirements		Test Method
				Acceptable limit	Permissible limit	
1	Chemical Testing (Water)					
2	pH value /Cl.4.0, Table -1-ii)	-	7.03	6.5 -8.5	No relaxation	IS:3025 (part11) ;1983, RA 2017
3	Total Dissolved Solids , Cl.4.0, Table -1-vi)	mg/l	118.0	Max 500	Max 2000	IS:3025 (part 16) ;1984, RA 2017
4	Calcium (as Ca), Cl.4.0, Table -2-vi)	mg/l	30.4	Max 75	Max 200	IS:3025 (part 40) ;1991, RA 2019
5	Chloride (as Cl), Cl.4.0, Table -2-viii)	mg/l	27.5	Max 250	Max 1000	IS:3025 (part 32) , 1988, RA 2019
6	Fluoride (as F), Cl.4.0, Table -2-x)	mg/l	0.3	Max 1.0	Max 1.5	IS:3025 (part 60);2008, RA 2019
7	Magnesium (as Mg), Cl.4.0, Table -2-xii)	mg/l	16.5	Max 30	Max 100	IS:3025 (part 46), 1994, RA 2019
8	Sulphate , (as SO ₄), Cl.4.0, Table -2-xx)	mg/l	11.0	Max 200	Max 400	IS:3025 (part 24);1986, RA 2019
9	Total Alkalinity as	mg/l	98.6	Max 200	Max 600	IS:3025 (part 23);1986, RA 2019

Vandana
07/07/21

J. K. Saini

Idma Corporate Park, 391, Industrial Area, Phase-I, Panchkula, Haryana.

Tel. No. : 0172- 5064827, 5064830

Website : www.idmagroup.co.in

E-mail : testing@idmagroup.co.in

E-mail : support@idmagroup.co.in

Turn Overleaf





Idma Laboratories Limited

(A Government Approved Test House)

NABL (TC-8207) MOEF/BIS/FSSAI/State Pollution Boards/Drug & Cosmetic Act/ISO 9001; 14001; 18001 Certified



Certificate No. : TC-8207

ULR : TC820721700000681F


TEST REPORT

Ref. No. IL/D- 7581		Date 08.07.21		Lab No. 290621L-FD-006/A		Page No. 2/2
S.No.	Test Parameter	Units	Results	Requirements		Test Method
				Acceptable limit	Permissible limit	
9	calcium carbonate, Cl.4.0, Table -2-xxii)					
10	Total Hardness (as CaCO3), Cl.4.0, Table -2-xxiii)	mg/l	102.7	Max 200	Max 600	IS:3025 (part 21);2009, RA 2019

End of Report

Analyst Vandana
07/07/21

For Idma Laboratories Limited
Authorized Signatory
TM/II/III
07/07/21



Idma Corporate Park, 391, Industrial Area, Phase-I, Panchkula, Haryana.

Tel. No. : 0172- 5064827, 5064830

Website : www.idmagroup.co.in

E-mail : testing@idmagroup.co.in

E-mail : support@idmagroup.co.in

Turn Overleaf





Idma Laboratories Limited

(A Government Approved Test House)

MOEF/BIS/FSSAI/State Pollution Boards/Drug & Cosmetic Act/ISO 9001; 14001; 18001 Certified

TEST REPORT

Ref. No. IL/D- 7581 A	Date 08.07.21	Lab No. 290621L-FD-008/B	Page No. 1/1
Customer	City Emporium (Meters & Instruments Pvt. Limited) Plot No.143-A Industrial Area- Phase-I Chandigarh Chandigarh		
Type of Sample	Borewell Water		
Customer's Description of Sample	Borewell Water		
Quantity	5 Ltr. + 250 ml		
Packing, Markings, Seal & Quantity	Plastic Can & Glass Bottle		
Mode of Collection of Sample	Sampling By Laboratories		
Work Order No.	E-MAIL	Dated	19/06/2021
Date of Receipt of Sample	29/06/2021		
Period of Analysis	29/06/2021 To 07/07/2021		
Sampling Team Idma	Idma Representative Team	Client	Mr. Sachin Arya
Sampling Location	Building Inside Near Outwall		
Visual Observation	N/A		
Date of Sampling	28/06/2021		
Date of Reporting	07/07/2021		
Sampling Protocol	IS: 3025-1987 & IL/MB/SOP/034		
Testing Protocol	IS:10500 :2012. Amdt. 1 to 2		

RESULTS

S.No.	Test Parameter	Units	Results	Requirements		Test Method
				Acceptable limit	Permissible limit	
1	Biological Testing(Water)	-	-	-	-	-
2	Total Coliform bacteria, Cl.4.1.1, Table-6-(1)	/100ml	Absent	Shall not be detectable in any 100ml sample	-	IS 15185:2016
3	E.coli, Cl.4.1.1, Table-6-(1)	/100ml	Absent	Shall not be detectable in any 100ml sample	-	IS 15185:2016

****End of Report****

Analyst

[Signature]
07/07/2021

For Idma Laboratories Limited
[Signature]
Authorized Signatory



Idma Corporate Park, 391, Industrial Area, Phase-I, Panchkula, Haryana.

Tel. No. : 0172- 5064827, 5064830

Website : www.idmagroup.co.in

E-mail : testing@idmagroup.co.in

E-mail : support@idmagroup.co.in

Turn Overleaf

